G FORM PTO-1082 THE COMMISSIONER OF PATENTS AND TRADE OUTS. PATENT AND TRADEMARY OFFICE	Attorney Docket No.: ATOMIC-10 EMARKS
WASHINGTON, D.C. 20231 Sir: Transmitted herewith for filing is inventor; Douglas J. Toth For; STRAP CONNECTING BUCKLE Enclosed are; informal sheets of drawing An assignment of the invention	jc584 U.S. 09/48314
The filing 'fee has been calculated	Lish small entity status under 37 CFR 1,9
COL. 1) (COL. 2) FOR: NO. FILED NO. EXTRA EASIC FEE . TOTAL CLAIMS 10 -20= 0 NOSE CLAIMS 1 -2=. 7 0 NUMBER CLAIMS 1 -2=. 7 0 MUNITPLE DEPENDENT CLAIM PRESENTED To the difference in Col. 1 is less than zero, enter "0" in Col. 2	SMALL ENTITY SMALL ENTITY RATE FEE OR RATE FEE \$ 345.00 OR \$ 18 \$ \$ 39 0 OR \$ 78 \$ \$ 130 0 OR \$ 260 \$ TOTAL \$ 345.00 OR TOTAL \$
The Commissioner is hereby au fees associated with this com Deposit Account No. 06-10930 enclosed. Note that the amount of the commissioner is hereby an item of the commissioner is hereby an item of the commissioner is hereby and the commissione	cont No. 06-0930 in the amount of copy of this sheet is enclosed. 345.00 to cover the filing fee is enclosed. Thorized to charge payment of the following munication or credit any overpayment to him fees required under 37 CFR 1.16. Cation processing fees under 37 CFR 1.17, uthorized to charge payment of the following this application or credit any overpayment to this application or credit any overpayment to
The issue fee se Notice of Allows	cation processing fees under 37 CFR 1.17. It in 37 CFR 1.18 at or before mailing of the unce, pursuant to 37 CFR 1.311(b). Under 37 CFR 1.16 for presentation of extra

hereby certify that this correspondence is demy deposited with the United States Postal Service as Express Mail No.EL497773103 in an envelope addressed to: Commissioner of Patents and Trademarks, United States Patent and Trademark Office, Washington, D.C. 20231, on:

JANUARY 13, 2000

(Date of Deposii)

(Date of Deposit)
LEONARD TACHNER

Manie of Applicant, Assignes or Registered Fate

Leonard Tachner

Dated:

Attorney for the Applicant(s) Registration No. 26,344

.....

2000

Telephone (949) 752-8525 Telefax (949) 955-2415

PTO/SB/09 (12-97)
Approved for use through 9/30/00. OMB 0651-0031
Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.

M.
H
=
4.
General Contraction
ði
150 E
 = -
şa i

STATEMENT CLAIMING SMALL ENTITY STATUS 37 CFR 1.9(f) & 1.27(b))—INDEPENDENT INVENTOR	Docket Number (Optional) ATOMIC-10
Applicant, Patentee, or Identifier: Douglas J. Toth	
Application or Patent No.:	
Filedorlssued: January 13, 2000	
Title: STRAP CONNECTING BUCKLE	
As a below named inventor, I hereby state that I qualify as an independent inventor purposes of paying reduced fees to the Patent and Trademark Office described the specification filed herewith with title as listed above. The application identified above. The patent identified above. I have not assigned, granted, conveyed, or licensed, and am under no obligation grant, convey, or license, any rights in the invention to any person who would not quality under 37 CFR 1.9(c) if that person had made the invention, or to any concern we business concern under 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(d) erach person, concern, or organization to which I have assigned, granted, converted.	n under contract or law to assign, ualify as an independent inventor thich would not qualify as a small R 1.9(e).
obligation under contract or law to assign, grant, convey, or license any rights in No such person, concern, or organization exists.	n the invention is listed below:
Each such person, concern, or organization is listed below.	
Separate statements are required from each named person, concern, or organiz stating their status as small entities. (37 CFR 1.27) I acknowledge the duty to file, in this application or patent, notification of any chentitlement to small entity status prior to paying, or at the time of paying, the maintenance fee due after the date on which status as a small entity is no longer	ange in status resulting in loss of earliest of the issue fee or any
Douglas J. Toth NAMEOFINVENTOR Signature of inventor Signature of inventor	NAME OF INVENTOR Signature of inventor
1/12/2000 Date	Date

Burden Hour Statement: This form is estimated to take 0.2 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, DC 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.



AAA

Application Text

Place Papers behind this sheet in the following order:

- 1. Preliminary Amendment
- 2. Specification (English Language Only)
- 3. Claims
- 4. Abstract

BACKGROUND OF THE INVENTION

2 3

1

FIELD OF THE INVENTION

4

5

6 7

8

9

10

The present invention relates generally to the field of releasible buckles such as those used for securing a strap to a post on a piece of sporting equipment. The invention pertains

11 12

13

14

26

27 28 29

30 31

32 33

34

more specifically to a highly secure locking buckle especially suited to applications requiring resistance to severe forces and yet quick and easy release when release is desired.

BACKGROUND ART

Quick release buckles have become prolific in sports equipment. There are a large number of applications in golf equipment and diving equipment for example where quick release, strap locking buckles are used advantageously for securing various kinds of equipment. Such equipment includes for example, golf bags and buoyancy jackets both of which have buckled straps for carrying or securing equipment. Buckles for such applications have to be capable of resisting a modest amount of force and yet be easily released to permit quick unbuckling. Moreover, in some applications, the buckle must be both lockable and releasible with only one hand. One such one-hand application is the swim fin strap. Furthermore, a swim fin strap is subject to especially high forces due to the nature of the use of swim fins, namely, being forced up and down in water to propel a diver or In order to facilitate one-hand operation, a swim fin snorkeler. buckle strap will have a buckle at each end for attachment to a fixed post or pin which is affixed on each side of the fin. buckle for attachment to such posts or pins, must be easy to attach, capable of withstanding constant tension and very high

and frequent peak forces which would readily force open conventional strap buckles.

It would thus be highly advantageous to have a strap connecting buckle capable of one-hand operation for connection to a post or pin and designed for withstanding extreme forces of tension while still being easy to connect and to disconnect.

SUMMARY OF THE INVENTION

2

1

The present invention comprises a one-hand operated strap buckle capable of withstanding high forces and yet simple to operate and easily connected to a post and disconnected from a In a preferred embodiment, the buckle comprises upper and lower cases, the latter forming a slot for receiving a post with a flat head. When connected to a post, the buckle is secured to the post by a pair of swing arms terminating at locking hooks. The position of the swing arms is normally closed, but may be readily altered to an open position by a pair of opposed springloaded release tabs which when compressed toward one another, open the swing arms and separate the locking hooks. of the invention also comprises a strap release which is springloaded and normally engages the teeth of a strap by employing a spring-loaded catch which can be rotated away from the strap with tilting of the strap release around a fulcrum bearing. locking hooks of the preferred embodiment, when in their locked position, assure a secure connection to the post which connection can withstand very high forces. Yet the locking hooks are easily separated when it is desired to release the strap from the post by simply squeezing the release tabs towards one another.

OBJECTS OF THE INVENTION

3

1

4 5

It is therefore a principal object of the present invention to provide a strap connecting buckle especially suited for quick connection to and release from a fixed post for one-hand operation.

8

It is another object of the invention to provide a quick release strap buckle which can withstand high tensile stress without inadvertent release.

It is yet another object of the invention to provide a strap buckle suitable for one-hand operation for connection to and release from a stationary post by simple compression of a pair of opposed release tabs.

BRIEF DESCRIPTION OF THE DRAWINGS

1	
2	

3

4 5 6

7 8

9

10 11 12

> 13 14

26 27

> 29 30

> > 31

32

28

33 34

The aforementioned objects and advantages of the present invention, as well as additional objects and advantages thereof, will be more fully understood hereinafter as a result of a detailed description of a preferred embodiment when taken in conjunction with the following drawings in which:

- FIG. 1 is a three-dimensional drawing showing a preferred embodiment of the invention in its fully assembled configuration;
- FIG. 2 is a drawing similar to FIG. 1, but with the upper case removed to reveal a post to which the buckle is connected;
- FIG. 3 is a drawing similar to FIG. 2 but with the strap release removed and the post removed;
- FIG. 4 is a three-dimensional drawing showing the bottom of the buckle with an attached post;
- FIG. 5 is a drawing similar to FIG. 4, but with the lower case removed;
- FIG. 6 is a view similar to FIG. 3, but showing the buckle in the opened position;
- FIG. 7 is a cross-sectional side view of a fully assembled buckle shown connected to a post;
- FIG. 8 is an elevational view of a strap that may be used with the buckle of the invention;

1 2

3

4

5 6 FIG. 10 is a view of a swim fin illustrating the position of one or more posts for receiving a corresponding number of buckles of the invention.

FIG. 9 is a side partial view of the strap of FIG. 8; and

DETAILED DESCRIPTION OF A PREFERRED EMBODIMENT

2

4

5

6

7 8

9

10

11

12

1

Referring to the accompanying drawings it will be seen that in accordance with a preferred embodiment of the invention, a strap locking buckle assembly 10 comprises a lower case 12 and an upper case 14. Buckle assembly 10 is normally closed but is easily opened by mutual compression of release tabs 16 and 18. A strap release 20 permits adjustment of the buckle assembly 10 relative to a strap which will become evident hereinafter. As seen in FIG. 1, buckle assembly 10 has a slotted opening 22 to receive a stationary post 27 of a swim fin 50 (see FIG. 10) to which connection is to be made.

131415

25

26

27

28

29

30

31

32

33

34

As seen best in FIGs. 2-7, buckle assembly 10 also comprises swing arms 24 and 26 which terminate in respective locking hooks The swing arms are shaped to provide a generally rectangular post locking aperture 32 for receiving and retaining a post 27 having an enlarged head 25. The locked configuration is shown in FIG. 3 and the unlocked or release configuration is shown in FIG. 6. It will be noted that in the locked configuration of FIG. 3, release tabs 16 and 18 are farthest apart. In the release configuration of FIG. 6, release tabs 16 and 18 have been compressed towards one another and are at their closest positions. Locking hooks 28 and 30 are spring-loaded by means of arm springs 36 and 38 which are integrally formed with and extend from spring arms 24 and 26, respectively. A pair of spring stops 31 and 33 load the arm springs 36 and 38 causing the swing arms 24 and 26 to automatically return to the locked configuration of FIG. 3 when release tabs 16 and 18 are no longer compressed toward each other. Swing arms 24 and 26 both move angularly about a fulcrum 34 which may be in the form of a rivet or other fastener seen best in FIG. 7. As seen best in FIG. 2, when the buckle assembly 10 engages and locks a post 27, the head of the post resides just above the swing arms with the shaft of the post firmly locked into the locking aperture 32. The enlarged post head prevents upward release of the buckle assembly 10. As long as locking hooks 28 and 30 are in their locked configuration seen in FIGs. 2 and 3, the buckle can resist very large pulling forces without releasing the post. However, by a simple compression of release tabs 16 and 18, locking hooks 28 and 30 separate and allow the buckle assembly 10 to be removed from post 27.

The operation of strap release 20 will be apparent from FIGs. 3, 5 and 7. As seen in those figures, strap release 20 is mounted for a rocking motion about a pair of bearings 23, each positioned in a bearing recess 35. A release spring arm 29 extends diagonally and downwardly and contacts a spring stop 37. The upper surface of strap release 20 has a knurled or scored portion 39 which facilitates frictional engagement to rotate stop release 20 about the bearings 23 and against the spring resistance caused by release spring 29 engaging spring stop 37.

The buckle assembly 10 receives a strap 42 shown in FIGs. 8 and 9. As seen in FIG. 7, the strap 42 is wrapped around a strap roller 40. A plurality of spaced teeth 44 are mounted on the strap. The strap release 20 has a catch 21 extending toward the roller 40 and engaging teeth 44. When strap release 20 is rotated toward fulcrum 34, the catch is raised to permit strap 42 to be adjusted around roller 40.

Having thus disclosed a preferred embodiment of the invention, it being understood that modifications and additions to the disclosed embodiment are contemplated and that the described details are merely illustrative of the invention, what is claimed is:

ATOMIC-10

2

1

3

4

5

6

7

8

15

26

27 28 29

30

STRAP CONNECTING BUCKLE

ABSTRACT OF THE DISCLOSURE

A one-hand operated strap buckle capable of withstanding high forces and yet simple to operate and easily connected to a post and disconnected from a post. In a preferred embodiment, the buckle comprises upper and lower cases, the latter forming a slot for receiving a post with a flat head. When connected to a post, the buckle is secured to the post by a pair of swing arms terminating at locking hooks. The position of the swing arms is normally closed, but may be readily altered to an open position by a pair of opposed spring-loaded release tabs which when compressed toward one another, open the swing arms and separate the locking hooks. The buckle of the invention also comprises a strap release which is spring-loaded and normally engages the teeth of a strap by employing a spring-loaded catch which can be rotated away from the strap with tilting of the strap release around a fulcrum bearing. The locking hooks of the preferred embodiment, when in their locked position, assure a secure connection to the post which connection can withstand very high Yet the locking hooks are easily separated when it is desired to release the strap from the post by simply squeezing the release tabs towards one another.





Miscellaneous Material Includes:

- 1. Drawings
- 2. Oath or Declaration
- 3. Foreign language specification
- 4. Sequence listing
- 5. Computer listing
- 6. Appendices









FIG. 1











01-14-00

A

01/	jc759
13/00	G S
	PIO

Pro/SB/01 (12-97)

Approved for use through 9/30/00. OMB 0651-0032

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unlocal terror.

Patent and Trademark Offi s are required to respond to a	tor use to ice; U.S. collection	hrough 9/30/00. OMB 0651-0032 DEPARTMENT OF COMMERCE of information unless it contains			
Attorney Docket Nu	ATOMIC-10				
	or	Douglas J. Toth			
COMPL	COMPLETE IF KNOWN				
Application Number					
Filing Date	Janu	ary 13, 2000			
Group Art Unit					
Examiner Name					
1	Attorney Docket Nu First Named Invento COMPL Application Number Filing Date Group Art Unit	Attorney Docket Number First Named Inventor COMPLETE II Application Number Filing Date Group Art Unit			

As a below named inver	ntor, I hereby declare the	t:			
		re as stated below next to n			
believe I am the original	first and autata a se	nly one name is listed below is claimed and for which a p		first and joint inv	rentor (if plural
	CTING BUCKLE			ALL WINE WASHINGTON	erinned:
the specification of which xxxxx is attached hereto OR	(Ti	itle of the Invention)			
was filed on (MM/DI	DAYYY)	as Unite	ed States Applica	ation Number or I	PCT International
Application Number I hereby state that I have reamended by any amendment	و و استنداد	was amended on (MM/DD/)	2000		7
I acknowledge the duty to dis	sclose information which is	material to patentability as	defined in 37 Ct	FR 1.56.	
I hereby claim foreign priority certificate, or 365(a) of any F America, listed below and haw or of any PCT international app Prior Foreign Application	benefits under 35 U.S.C. CT international application e also identified below, by plication having a filing date	checking the box, any foreite before that of the applicate	ny foreign applic st one country on application for ion on which pri	cation(s) for pate other than the U or patent or inven onty is claimed.	ent or inventor's Inited States of Itor's certificate,
Number(s)	Country	Foreign Filing Date (MM/DD/YYYY)	Priority Not Claimed	Certified Co YES	py Attached? NO
				000	0000
Additional foreign application hereby claim the benefit und	n numbers are listed on a	supplemental priority data :	sheet PTO/SB/0	28 attached here	lo:
I hereby claim the benefit und Application Number(s)	The state of the s	Office States provisional	application(s) list	ed below.	.0.
	, many Date	(MWDD/YYYY)	number suppler	nal provisional is are listed on nental priority of 3/02B attached	a data sheet
					

[Page 1 of 2]

Burden Hour Statement: This form is estimated to take 0.4 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information ADDRESS. SEND TO: Assistant Commissioner for Patents, Washington, DC 20231.

DEC	<u>ULA</u>	RATION -	- Utility	y or	Desig	ın Pat	ent /	4p	olicati	on
United States	or PCT la	efit under 35 U.S.C. 120 cica, listed below and, ins nternational application in aterial to patentability as I international filing date of	the manner pro defined in 37 C	rect matte wided by the	r of each of he first name	the claims of	this applic	ation i	s not disclose	d in the prior
U.S. Parent Application or PCT Parent				Filing Date	•	Pare	ent Patent			
		Number			(MM/E	DOYYYY)			(if applica	ble)
As a named inv	entor L	PCT international applicat nereby appoint the following	ion numbers are	e listed on	a supplemen	ntal priority dat	a sheet P	TO/SB	/02B attached	hereto.
and Trademark	Office o	onnected therewith:	ng registered pr Customer Numl <i>OR</i>	ber	1054	te trus applica	ion and to	transa	Place Cust Number Ba	omer
			Registered prac		name/registe	ation number	listed belo	w L	Label he	
	Nam	ie	Registi Num			Na	me			stration umber
LEONARD	TACE	INER	26,344	,						
Additional	registere	d practitioner(s) named or	n supplemental	Registered	l Practitioner	Information s	heel PTO/	SBIOO	C attached ber	oto
Direct all corr		ence to: Custom	er Number Gode Label						ondence add	
Name	LEC	NARD TACHNER,	A PROFE	SSION	AL LAW	CORPORA	TION			
Address	179	61 SKY PARK C	IRCLE, S	UITE	38-E					
Address										
City	IRV	INE			State	CA	ZIP	9:	2614–636	4
Country	USA		Telephon	e (949) 752-8	3525	Fax	(94	49) 955-	2415
ounishable by	fine or in	I statements made hereid further that these state apprisonment, or both, un tissued thereon.	menis were ma	ace with ti	ne knowleda	e that willful f	alca ciata	monte	and the like o	a mada ara
Name of So	ole or F	irst Inventor:			☐ A petit	ion has beer	n filed for	this u	ınsigned inve	entor
Gi	ven Nar	ne (first and middle (if	any])		Family Name or Surname					
Douglas	J.			_	Tot					
Inventor's Signature		* Kales		la					Date	112/20
Residence: C	äty	Huntington Beach	State	CA	Country	USA			Citizenship	USA
Post Office Ad	ddress	8422 Dallas	Circle	-						
Post Office Ad	ddress	Huntington	Beach, C	alifo	rnia 9	2646				
City		Huntington Beach State	CA	ZIP	926	46	Cour	itry	USA	
Additional	invento	rs are being named on	thesup	plementa	l Additiona	I Inventor(s)	sheet(s)	PTO/	SB/02A attac	ched hereto